

Platform Name:

AASTA HANSTEEN




Contact Information

Call sign:	LF8A	E-mail:	ahapros@equinor.com
MMSI no:	257 889 000	Phone no:	+47 77 04 73 15
Position datum WGS 84 North, dms:	67°4'0.5"	VHF central control room:	15/16
Position datum WGS 84 East, dms:	7°5'44.1"	UHF central control room:	Tetra 1 (analog UHF gateway)

Contact Information cranes


UHF crane 1	6	UHF crane 3	NA
UHF crane 2	5	UHF crane 4	NA

Map with zones (not to scale)



Zone color coding

Color	Meaning	Reason
Green zone:	Loading/offloading zone. Normal process with approval from the Central Control room	
Orange-striped zone:	Entering this zone needs extra approval from Platform Manager in addition to Central Control room	West: Risk of collision with lifeboat structure. East/Flare tower: Risk of dropped objects, heat/hot products from flaring, and risk of collision with flare boom.
Red/Yellow zone:	Exclusion zone. Entering this zone needs approved dispensation.	NA

Other symbols/markings																															
- . - . - . - . - - - - -	180-degree obstacle free helicopter zone 210-degree obstacle free helicopter zone																														
Platform specific information																															
Largest allowed vessel for normal visit:	8 000 tons																														
Lowest height from MSL to living quarter or lifeboats:	29.3 m																														
Lowest bridge height from MSL:	NA																														
Displacement / Significant wave height -table for vessel operation on lo-ward side of platform																															
<table border="1"> <thead> <tr> <th colspan="2">E = 28 MJ</th> </tr> <tr> <th>Deplase ment [tonn]</th> <th>Hs_{max} Breiside/Hekk-kollisjon [m]</th> </tr> </thead> <tbody> <tr><td>4000</td><td>6,3</td></tr> <tr><td>4500</td><td>6,0</td></tr> <tr><td>5000</td><td>5,7</td></tr> <tr><td>5500</td><td>5,4</td></tr> <tr><td>6000</td><td>5,2</td></tr> <tr><td>6500</td><td>5,0</td></tr> <tr><td>7000</td><td>4,8</td></tr> <tr><td>7500</td><td>4,6</td></tr> <tr><td>8000</td><td>4,5</td></tr> <tr><td>8500</td><td>4,3</td></tr> <tr><td>9000</td><td>4,2</td></tr> <tr><td>9500</td><td>4,1</td></tr> <tr><td>10000</td><td>4,0</td></tr> </tbody> </table>		E = 28 MJ		Deplase ment [tonn]	Hs _{max} Breiside/Hekk-kollisjon [m]	4000	6,3	4500	6,0	5000	5,7	5500	5,4	6000	5,2	6500	5,0	7000	4,8	7500	4,6	8000	4,5	8500	4,3	9000	4,2	9500	4,1	10000	4,0
E = 28 MJ																															
Deplase ment [tonn]	Hs _{max} Breiside/Hekk-kollisjon [m]																														
4000	6,3																														
4500	6,0																														
5000	5,7																														
5500	5,4																														
6000	5,2																														
6500	5,0																														
7000	4,8																														
7500	4,6																														
8000	4,5																														
8500	4,3																														
9000	4,2																														
9500	4,1																														
10000	4,0																														
																															
Additional information																															

Owner: Marine Technology Department Equinor		
Rev. No	Date	Name
0	21.01.2020	inaand